# Translation





# **PCT**

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference FP03-0059-00	FOR FURTHER ACTION SeeNotificationofTransmittalofInternational Preliminary Examination Report (Form PCT/IPEA/416)						
International application No.	International filing date (day/n	month/year) Priority date (day/month/year)					
PCT/JP03/04357	04 April 2003 (04.0	04.03) 05 April 2002 (05.04.02)					
International Patent Classification (IPC) or r H05G 1/32	national classification and IPC						
Applicant	HAMAMATSU PHOTO	ONICS K.K.					
and is transmitted to the applicant a  2. This REPORT consists of a total of	according to Article 36.  f 5 sheets, including the ANNEXES, i.e., sheets of	of the description, claims and/or drawings which have been					
amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).							
These annexes consist of a t	total of sheets.						
3. This report contains indications rel	ating to the following items:						
I Basis of the report	I Basis of the report						
II Priority	II Priority						
III Non-establishment	of opinion with regard to novel	ty, inventive step and industrial applicability					
IV Lack of unity of in							
V Reasoned statemen	V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement						
VI Certain documents	VI Certain documents cited						
VII Certain defects in	VII Certain defects in the international application						
VIII Certain observations on the international application							
		of this report					
Date of submission of the demand	Date	Date of completion of this report					
04 April 2003 (04.0	4.03)	03 September 2003 (03.09.2003)					
Name and mailing address of the IPEA/JP	Autho	orized officer					
Facsimile No.	Teler	Telephone No.					



### International application No.

## PCT/JP03/04357

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

I. Basis of the report								
1.	1. With regard to the elements of the international application:*							
	$\boxtimes$	the inte	ernational application as originally filed					
		the des	cription:					
		pages	, as originally filed					
		pages	, filed with the demand					
		pages	, filed with the letter of					
		the clai	ims:					
	_	pages	, as originally filed					
		pages	, as amended (together with any statement under Article 19					
		pages	, filed with the demand					
		pages	, filed with the letter of					
		the dra	wings:					
		pages	, as originally filed					
		pages	, filed with the demand					
		pages	, filed with the letter of					
	$\prod t$	he seque	ence listing part of the description:					
		pages	, as originally filed					
		pages	, filed with the demand					
		pages	, filed with the letter of					
2.	the in	ternation e element the lan	to the language, all the elements marked above were available or furnished to this Authority in the language in which and application was filed, unless otherwise indicated under this item.  In this were available or furnished to this Authority in the following language which is:  In the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).  In guage of publication of the international application (under Rule 48.3(b)).  In guage of the translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/3).					
3.	With preli	regard minary e	to any nucleotide and/or amino acid sequence disclosed in the international application, the international examination was carried out on the basis of the sequence listing:					
		contai	ned in the international application in written form.					
		filed to	ogether with the international application in computer readable form.					
furnished subsequently to this Authority in written form.								
furnished subsequently to this Authority in computer readable form.								
The statement that the subsequently furnished written sequence listing does not go beyond the di international application as filed has been furnished.								
			tatement that the information recorded in computer readable form is identical to the written sequence listing has furnished.					
4.		The ar	mendments have resulted in the cancellation of:					
			the description, pages					
			the claims, Nos.					
			the drawings, sheets/fig					
5.			eport has been established as if (some of) the amendments had not been made, since they have been considered to go it the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**					
*	in th	ncement is repor 10.17).	sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to the state of the contain an another tas "originally filed" and are not annexed to this report since they do not contain amendments (Rule 70.16).					
**		•	nent sheet containing such amendments must be referred to under item 1 and annexed to this report.					
Ī								



International application No.
PCT/JP 03/04357

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1.	Statement			
	Novelty (N)	Claims	13, 18	YES
į		Claims	1-12, 14-17	NO
	Inventive step (IS)	Claims	13, 18	YES
		Claims	1-12, 14-17	NO NO
	Industrial applicability (IA)	Claims	1-18	YES
		Claims		NO

#### 2. Citations and explanations


Claims 1 to 3, 5 to 7, 9 to 12 and 14 to 16

- Document 1: JP 6-318500 A (Toshiba Corporation), 15

  November 1994, entire text; fig. 1 to 10
- Document 2: JP 2-5398 A (Shimadzu Corporation), 10 January 1990, entire text; fig. 1 to 5
- Document 3: Microfilm of the specification and drawings annexed to the Japanese Utility Model
  Application No. 190022/1986 (Laid-open No. 95200/1988) (Asahi Roentgen Ind. Co., Ltd.),
  20 June 1988, entire text; fig. 1 and 2

Document 1 sets forth an X-ray tube control device which controls an X-ray tube, wherein said device is provided with a storage means which stores a plurality of warming-up programs according to maximum tube voltage in order to raise the tube voltage of the aforementioned X-ray tube when the aforementioned X-ray tube is activated in a process according to the time the tube has been inactive; an extraction means which, when the maximum tube voltage of the aforementioned X-ray tube is changed, extracts from among the aforementioned plurality of warming-up programs stored in the aforementioned storage means a program which corresponds to the new maximum tube

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT



voltage after the change; and an overwriting means which overwrites the warming-up program stored in the storage part of the control means which controls the operation of the aforementioned X-ray tube with the aforementioned warming-up program extracted by the aforementioned extraction means. Document 2 sets forth an X-ray tube control device which controls an X-ray tube, wherein said X-ray tube control device has a warming-up program to raise the tube voltage and tube current of the aforementioned X-ray tube to the maximum tube voltage and maximum tube current when the aforementioned X-ray tube operates. It would be easy for a person skilled in the art to conceive of constituting the warming-up program of the X-ray tube control device set forth in document 1 in such a manner that the tube voltage and tube current are raised, as described in document 2. In addition, as described in document 3, an X-ray tube control device which performs remote control of an X-ray tube is known, therefore it would be easy for a person skilled in the art to conceive of carrying out overwriting via a communications line when overwriting a warming-up program in the X-ray tube control device set forth in document 1.

Claims 4, 8, 12 and 17

Document 4: JP 6-13195 A (Shimadzu Corporation), 21


January 1994, entire text; fig. 1 to 4


Document 5: JP 4-87299 A (Shimadzu Corporation), 19 March 1992, entire text; fig. 1 to 3

Document 6: JP 61-218100 A (Toshiba Corporation), 27

September 1986, entire text; fig. 1 to 13

An X-ray tube control device, wherein a focusing lens is controlled in order that the focal point when an electron beam collides with a target is minimized, is a known feature, as described in documents 4 to 6, and it





would be easy for a person skilled in the art to conceive of storing a program to control a focusing lens in the Xray tube control device described in document 1.

Claims 13 and 18

Documents 1 to 6 do not indicate that when there is no maximum tube voltage in a warming-up program which corresponds to the maximum tube voltage inputted into an input means, the inputted maximum voltage is matched with the warming-up program stored in the storage means in order that the maximum tube voltage in the warming-up program is higher than the inputted maximum tube voltage, and the difference is minimized between the maximum tube voltage in the warming-up program and the inputted maximum tube voltage, and said feature would not be obvious to a person skilled in the art.